

Home Automation | Entertainment | Infotainment | Communication

All you can automate!

Table of content

Mobile Solutions

4	visiTor for Video-Intercom
5	visiTor Controller
6	Secure Access for Mobiles
7	Secure Access Module

visiomatic Home System: Hardware

Displays

10	visiPad® CL8
11	visiPad® RC10
12	visiPad® TT15
13	visiPad® TT19
14	visiPad® TT Series
15	visiPad® SL46
16	HomePad WLAN12

Controller and Server

18	visiomatic® MediaStation
19	visiServer 19" 1U

High-tech in combination with exclusive design! visiomatic® GmbH founded in 1999 in Stuttgart is the global technology leader of Lifestyle Automation.

visiomatic® belongs to Germany's most innovative companies and was distinguished with the award "Top100 - Awarded innovators in the German middle class" in the year 2001.

visiomatic® develops pioneering products and integration solutions merging the areas of: Home Automation, Entertainment Electronics, Communication Technology, Infotainment.

visiomatic's main products are the visiPad® displays and the visiomatic® System, which can be used especially for simple control and operation of Home Automation, Telecommunication, Entertainment and Infotainment in the building.

This integration technology is the first of its kind in the world and is applicable in general. By innovative linking up to what previously were stand-alone solutions, visiomatic® has positioned itself as a technology leader on the international market.

visiPad® and visiomatic® Home System are mainly used in private homes, exclusive hotels and modern companies. visiomatic® develops and produces the visiPad® and the visiomatic® System in Germany. The products are sold all around the world through authorized system integrators who are active as visiomatic® Certified Partners.

visiomatic Home System: Software

Home Automation

22	Home Automation
23	Scenarios management
24	Timer control
25	Presence simulation
26	Event Control
27	EIB/KNX Alarm Systems
28	Surveillance Control
29	Pin code control
30	Touch lock
31	BMS
32	Alarm System
33	Miele <i>meets</i> visiomatic

Communication

35	Alert Service
36	Video Intercom System
37	Internal Telephony
38	E-mail System

Entertainment

40	Multiroom Audio System
41	Music
42	Digital Videos
43	Picture Collection
44	CD/DVD
45	Movie Library
46	Digital TV
47	TV Program
48	Web Radio
49	Multiroom Audio System

Infotainment

51	Weather Forecast
52	News
53	Stock market
54	Internet Browser
55	Clock
56	Traffic News
57	Cinema program
58	Kitchen recipes
59	Wine and wine storage

Disclaimer

Contact information


Mobile Solutions

So much one touch!

visiTor for Video-Intercom

App for iPhone™ and iPad™

*Solution for indoor Video-Communication.
Compatible with the major brands for
Video-Intercom-Systems, especially for SSS
Siedle products.*



Description:

The doorbell rings... Now, you immediately see who's at the door: With visiTor you communicate with your visitors from the comfort of your sofa - or wherever you are in your home.

- When someone calls, the image automatically appears on your iPhone or iPads. You can now talk directly with your visitor and open the door.
- If you have multiple cameras installed, you can easily change between different views, e.g. monitoring the exterior of your home.

As long as you stay within the wireless range of your home, visiTor is always ready for you - the most useful innovation since the invention of the doorbell!

Video Surveillance: Even if no one is ringing, you can start visiTor at any time to monitor the environment of your home. In this mode all video functions of visiTor are available.

Features:

All that is required for the visiTor app is the visiTor Controller, an iPhone or iPad with iOS 4.3, a Video intercom system from Siedle and a wireless connection. Your intercom system is older? No problem – visiTor is compatible with most Siedle systems.

System availability:

visiTor Controller
iPhone™/iPad™

visiTor Controller

Hardware and Software for communication with the visiTor App.



Including software solution

- Communication based on SIP standard
- Web based communication with every internet browser

Technical specifications:

- Interfaces: 1 x LAN, 1 x USB 2.0, 1 x analog telephone line
- Fanless
- Dimensions 244 x 170 x 80 mm
- Weight 5.4 kg
- Massive metal housing, black
- Configuration via Web browser
- For 24/7 operation

Optional:

- Video encoder



System availability:

visiTor App

Hardware and software | Mod. 028.000
License for additional 5 devices | Mod. 028.100
More Licenses on request
Video encoder | Mod. 028.002

Secure Access for Mobiles

App for iPhone™/iPad™/iPod™ Touch
Software application available in iTunes
iphone.visionomatic.com



Description:

Secure Access for Mobiles is the App to be installed on the iPhone, iPad or iPod Touch to manage and visualize building automation and much more. The information transfer between mobile and home is based on secure, encrypted images and data formats via WLAN. The remote control is as secure as the WLAN connection and is available through the standard networks, such as E, 3G or WiFi. The most common world languages (from German to Chinese) are available and pre installed.

In connection with the Secure Access Module:

The Secure Access Module is a solution, which consists of an EIN/KNX interface, a compact PC (see: Hardware - Secure Access Module) and the visionomatic® software solution for the connection with the building services engineering. The Secure Access Module with the Secure Access for Mobiles application enable the access and control of your building automation: EIB/KNX facility, EIB/KNX burglar alarm and internal as well as external video cameras.

In connection with any visionomatic® System:

Equipped with a visionomatic® System, the Secure Access for Mobiles visualize and control building automation, KNX burglar alarm, music, video, lighting and personal scenes within the home. You can also watch real-time videos of your internal and/or external cameras.

Features:

In connection with the Secure Access Module:

Visualization and control of: Lighting and visual covers such as mar-quees, shutters, louvered blinds, heating- and air condition system, interior and outside lighting, alarm system, video intercom system, automat-ed door- and gate door opener, pool-, garden and outdoor technology, wellness equipment, such as sauna, steam bath, whirlpool, tempera-ture-, humidity- and smoke sensors, as well as rain and wind sensors.

With any visionomatic® Home System (as iPhone server License):

Same functions as with the Secure Access Module plus control of media and multi room technology in a building: selection of the digital radio- and web radio stations, free music sharing (audio multi room), free sharing of videos/DVDs/TV in full HD quality (video multi room), controlling of the Home Cinema System via iPhone or iPod Touch as a full-value remote control. Remote-video surveillance of videos in single- and multi camera view (2, 3, 6 cameras) via E, 3G or WiFi. TV Program and Recording.

Personalized application: Language and color settings (visionomatic® and iPhone liquid skin), weather forecast for the favorite cities, clock.

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visionomatic® MediaStation
visiServer 19" 1 Unit
Secure Access Module

iPhone™/iPad™/ iPod™ Touch

The additionally required iPhone App.-License is available at following prices for download in the Apple Store iTunes

iPhone-Server License as a display add-on | Mod. 010.000

Secure Access Module

Hardware and Software
enable the connection to mobiles



Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix

Technical specifications:

- Interfaces: 2 x 1000 BaseT Ethernet, 4 x USB 2.0, 1 x RS232
- Stereo sound and microphone interfaces
- HDD: 8 GB SSD
- RAM: 1 GB
- Fanless
- Dimensions 101 x 115 x 27 mm
- Weight 370 gr
- Massive Aluminium housing
- Intel Atom 1.6GHz or higher
- Windows XP® Prof.
- For 24/7 operation

Optional:

- EIB/KNX interface

System availability:

Secure Access for Mobiles

EIB/KNX interface

visiomatic Home System: Hardware

All you can automate!

Displays

All you can automate!

visiPad® CL8

Compact Line
Panel PC 8,9"



Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control
- Touch lock for cleansing

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show and DVD collection

Infotainment

- Worldwide weather forecast
- Worldwide news / multilingual
- Stock quotes
- Internet browser/search engine
- Clock/alarm

Technical specifications:

- 8.9 inches
- 16:9 widescreen mode, 1024 x 600 px resolution
- Analog resistive touch-screen, WSVGA TFT LCD
- Panel PC with integrated processor
- Interfaces: 1 x RS-232/485/422, 2 x USB 2.0, 1x RJ-45 Port
- Power consumption ca. 1.3 A
- Fanless
- Dimensions 237 x 146 x 35 mm
- For in-wall mounting
- Frame in black plastic
- For 24/7 operation

Optional:

- KNX Gateway
- In-wall mounting back box

System availability:

No server required for panel PC version

Panel PC and software | Mod. 600.001
Panel PC without software | Mod. 600.002
EIB/KNX Gateway | Mod. 026.001
Back box | Mod. 600.003

visiPad® RC10

Room Control Series
Panel PC 10"



Panel PC



Display

Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control
- Touch lock for cleansing

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show and DVD collection

Infotainment

- Worldwide weather forecast
- Worldwide news / multilingual
- Stock quotes
- Internet browser/search engine
- Clock/alarm

Technical specifications:

- 10.2 inches
- 16:9 widescreen mode, 1024 x 600 px resolution
- Resistive touch-screen
- Panel PC with integrated processor
- Interfaces: 2 x Ethernet RJ45, 2 x USB, 1 x RS232, 1 x VGA
- Integrated loudspeaker and microphone
- Power consumption ca. 20 W
- Fanless
- Dimensions 280 x 225 x 65 mm
- In-wall mounting back box
- Frame in black piano lacquer
- Integrated KNX interface for direct connection to KNX
- Solid state disk for 24/7 operation

System availability:

No server required for panel PC version

Panel PC and software | Mod. 100.000
Panel PC without software | Mod. 100.001

visiPad® TT15

Through Touch Technology

Available as:
Panel PC 15"
Display 15"



Panel PC



Display

Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control
- Touch Lock for cleansing

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show and DVD collection

Infotainment

- Worldwide weather forecast
- Worldwide news / multilingual
- Stock quotes
- Internet browser/search engine
- Clock/alarm

Technical specifications:

- 15 inches
- 4:3 normal mode, 1024 x 768 px resolution
- Capacitive technology touch-screen
- Glass surface
- Integrated loudspeaker and microphone
- Fanless
- Dimensions 408 x 320 x 44 mm
- In-wall or on-wall mounting
- Frame in aluminum color

Additional specifications for the Panel PC:

- Panel PC with integrated processor
- Integrated KNX interface for direct connection to KNX
- Solid state disk for 24/7 operation

Optional:

- Integrated video camera in the top part of the frame
- individual frame color (RAL or metallic colors)

System availability:

Server required for the display version:

visiomatic® MediaStation

visiServer 19" 1 Unit

No server required for panel PC version

Panel PC and software | Mod. 200.000

Panel PC without software | Mod. 200.001

Display without software | Mod. 142.060

Extra charge video camera | Mod. 200.002

Extra charge in-wall mounting frame | Mod. 200.003

Extra charge individual frame color | Mod. 150.000

visiPad® TT19

Through Touch Technology

Available as:
Panel PC 19”
Display 19”



Panel PC



Display

Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control
- Touch lock for cleansing

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show and DVD collection

Infotainment

- Worldwide weather forecast
- Worldwide news / multilingual
- Stock quotes
- Internet browser/search engine
- Clock/alarm

Technical specifications:

- 19 inches
- 4:3 normal mode, 1280 x 1024 px resolution
- Capacitive technology touch-screen
- Glass surface
- Integrated loudspeaker and microphone
- Fanless
- Dimensions 490 x 395 x 54 mm
- In-wall or on-wall mounting
- Frame in aluminum color

Additional specifications for the Panel PC:

- Panel PC with integrated processor
- Integrated KNX interface for direct connection to KNX
- Solid state disk for 24/7 operation

Optional:

- Integrated video camera in the top part of the frame
- individual frame color (RAL or metallic colors)

System availability:

Server required for the display version:

visiomatic® MediaStation

visiServer 19" 1 Unit

No server required for panel PC version

Panel PC and software | Mod. 300.000

Panel PC without software | Mod. 300.001

Display without software | Mod. 143.060

Extra charge video camera | Mod. 300.003

Extra charge in-wall mounting frame | Mod. 300.002

Extra charge individual frame color | Mod. 150.000

visiPad® TT Series

Through Touch Technology

Available as:

Panel PC 22" - 37" - 46" or 65"

Display 22" - 37" - 46" or 65"



Panel PC



Display

Included software solutions for Panel PC:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control
- Touch lock for cleansing

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show and DVD collection

Infotainment

- Worldwide weather forecast
- Worldwide news / multilingual
- Stock quotes
- Internet browser/search engine
- Clock/alarm

Technical specifications Display:

- Available sizes: 22, 37, 46 or 65 inches
- 16:9 widescreen mode, 1920 x 1080 px resolution - Full HD
- Capacitive, through glass technology touch-screen
- Glass front, security protected
- Integrated loudspeaker and microphone
- Fanless
- In-wall or on-wall mounting
- Available in all RAL- or metallic- colors
- Analogue monitor interface
- Power 12 V / 5 A, 3 x CAT 5 SFTP cable

Additional specifications for the Panel PC:

- Panel PC with integrated processor
- Integrated KNX interface for direct connection to KNX
- Solid state disk for 24/7 operation

Optional:

- Integrated video camera in the top part of the frame
- individual frame color (RAL or metallic colors)

System availability:

Server required for the display version:

visiomatic® MediaStation


visiServer 19" 1 Unit

No server required for panel PC version


on demand

visiPad® SL46

Superior Line 46"



Panel PC



Display

Technical specifications Display:

- 46 inches
- 16:9 widescreen mode, 1920 x 1080 px resolution - Full HD
- Lumio technology touch screen
- Aluminium/Glass front
- Integrated loudspeaker
- Fanless
- In-wall or on-wall mounting

System availability:

Server required for the display version:

visiomatic® MediaStation

visiServer 19" 1 Unit

on demand

HomePad WLAN12

Wireless Solutions 12"



Panel PC



Display

Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control
- Touch lock for cleansing

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show and DVD collection

Infotainment

- Worldwide weather forecast
- Worldwide news / multilingual
- Stock quotes
- Internet browser/search engine
- Clock/alarm

Technical specifications:

- 12.1 inches
- 16:9 widescreen mode, 1280 × 800 px resolution,
- Capacitive and electromagnetic LED WXGA touch-screen
- Interfaces 1 × Digitizer pe; 2 × USB 2.0 port; 1 × 2-in-1 Audio Jack (Head Phone /Mic-in); 1 × mini HDMI port; 1 × Card Reader: MMC/SD(SDHC/SDXC); 1 × DC-IN
- Dimensions 312 x 207 x 16 mm
- Weight 1.16 kg
- Memory DDR3, 1 × SO-DIMM, 4GB
- Storage 64GB SSD
- Camera 2.0 M Pixel Camera
- Audio Hi-Definition Audio CODEC; Stereo Speakers
- Digital Array Mic
- WLAN 802.11 b/g/n@2.4GHz, Bluetooth V3.0
- Intel Core i5
- Windows R7 Home Premium

System availability:

On demand.

Controller and Server

All you can automate!

visiomatic® MediaStation

Multimedia Entertainment System



Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show
- visiomatic® CD/DVD collection
- Play-back of DVD or CD-media
- Play-back of Blu-Ray discs

Infotainment

- Worldwide news and weather forecast
- Stock quotes
- Internet browser/search engine and Clock/alarm

Technical specifications:

- Interfaces: 6 x USB, 1 x RS232, 1 x 100/1000 LAN
- Graphic: Blu-Ray/1080p support, H.264 Full HD support, 1 x HDMI 1.3, 1 x DVI-D, 1 x VGA
- Audio: high-definition 5.1 audio, 2 x digital (coaxial-in, optical-out)
- RAM: 4096 MB
- SSD: 32 GB
- Slot-In DVD drive
- Fanless
- Dimensions 390 x 350 x 70 mm
- Aluminum, black anodized
- Processors: 2 x 2,0 GHz Dual Core or higher
- Windows XP® Prof.
- For 24/7 operation

Optional:

- Blu-Ray

System availability:

All visiPad® Displays

All other HDMI-compatible products

Hardware and software | Mod. 500.000

Hardware without software solutions inside | Mod. 500.001

visiServer 19" 1U

visiomatic® intelligence unit



Including software solutions from following areas:

Home Automation

- Visualization and control of EIB/KNX building management system
- Timer control
- Scenarios management
- Event management
- Presence simulation
- Connection to EIB/KNX alarm system
- Video surveillance over IP cameras from Axis/Mobotix
- Pin code control

Communication

- Malfunction messages via E-mail/SMS

Entertainment

- Integration of Multiroom Audio System connected to EIB/KNX
- MP3 player/collection
- DV player/collection
- Picture slide show
- visiomatic® CD/DVD collection
- Play-back of DVD or CD-media
- Play-back of Blu-Ray discs (optional)

Infotainment

- Worldwide weather forecast and news
- Stock quotes
- Internet browser/search engine and Clock/alarm

Technical specifications:

- 19 inches - 1 unit
- Interfaces: 2 x GLAN network, VGA, DVI, 2 x RS232, 2 x USB
- Stereo sound and microphone interfaces
- 1024 MB DDRAM
- RAM: 40 GB
- Slot-In DVD drive
- Temperature controlled silent fan
- Dimensions 482 x 256 x 44 mm
- Massive Aluminium housing with passive cooling profile, black
- Intel Mobile Celeron M550, 2 GHz, 1 MB Cache or higher
- Windows XP® Prof.
- For 24/7 operation

Optional:

- Blu-Ray

System availability:

All visiPad® Displays

visiomatic Home System: Software


All you can automate!

Home Automation

All you can automate!

Home Automation

EIB/KNX



Description:

Indulge yourself in the comfort which you deserve. visiomatic® enables a comfortable, easy to handle and self explanatory home control of the entire systems, which are connected to EIB/KNX, via visiPad® Touch Screen Displays.

Instruction manuals and hand books are not necessary at all, because nobody knows your house as well as you do yourself and the visiomatic® system was especially adapted to your wishes.

Features:

- Interior- and exterior lighting
- Privacy shield control, such as blinds, awnings and shutters
- Heating and air conditioning
- Automated door- and gate opener
- Pool-, garden- and outdoor technique
- Wellness facilities such as sauna, turkish bath, swimming pool
- Sensors for temperature, humidity and smoke or rain- and wind sensors



System availability:

- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

Available

In each visiomatic® System

Scenarios management



Description:

The Scenarios screen enables the user to create the scenarios according to his wishes, to activate or modify scenarios easily and intuitively on his own. The pre-programmed scenarios can be activated, deactivated or deleted from the system. Thanks to the clear structure and layout of the screen, the user is able to create his own “feel good” program in just a few steps. A single touch of the finger and the scenario “good night” is started: Dim the exterior lighting, switch off all the lights inside the house, set the bed room’s temperature to 18°C, switch off the audio system, ...

Features:

- Show the list of scenarios
- Show the list of actions, values, functions
- Add the new scenario and individually defined actions
- Add any action from the action list
- Rename / delete the existing scenario


System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19” 1 Unit

Available

In each visiomatic® System

Timer control



Description:

The Timer screen enables the user to create, activate, modify or delete any timer. The scenarios, which are already defined by the user, can be added to the timer server. A scenario can include a number of functions from any area, as for example the home automation, telecommunications and entertainment electronics.

Just activate your “feel good” program: Warm light in the winter garden, favorite music at the pool and switch on sauna. All functions can be executed for several rooms and buildings, like e.g. sound and light, sound etc. off, close all roller shutters ...

Features:

- Show the actual timer list
- Create/activate/rename/delete a timer
- Select the timer type:
 - Once
 - Daily
 - Weekly
 - Monthly
 - On days
- Select the executable scenarios


System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Presence simulation



Description:

The Presence simulation screen enables the simulation of presence through electronic media or the building management system components. It can be used to setup and modify new individual scenarios for presence simulation with the visiomatic® System.

The combination of different settings and functions offers the user a high level of security as a measurement of his property protection.

Features:

- Show the actual simulation list
- Show the scenarios content to each simulation
- Add/delete/rename any presence simulation
- Activate/deactivate any presence simulation
- Choose scenarios, which should be executed by simulation server

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Event Control



The screenshot displays a software interface for event control. At the top, there is a status bar with the time '10:23:08'. Below it, a table lists several events with their conditions and actions. The events are:

IF (is true)	Then (do this)	State	Actions
visiomatic Conf.Motion = 1	visiomatic Conf.Object = 50	inactive	
Sauna.Light Sauna = on	Fitnessroom.Light a = off	inactive	activate
visiomatic Conf.Motion = 1	visiomatic Conf.Object = 50	inactive	delete
Lobby.Bar = on	Scene.execute = Event Object	active	save
Conference.Main2 = full	Conference.Object = 50%	active	new event
Conference.Object = full	Conference.Main2 = off	active	execute

Below the table, there is an 'IF' section with a condition 'Sauna . Light Sauna = on' and a 'Then' section with an action 'Fitnessroom . Light a = on'. To the right of these sections is a 'Periode' section with options 'always' and 'limited to' (selected), and time ranges '08 : 00 AM' and '05 : 00 PM'. On the far right, a vertical menu lists various system settings: Person, Room, House, Options, Scenes, Timer, Event, Pres. Simulation, Ringtones, Clock off, Volume off, Language, and World.

Description:

You define the logical chain of events and decide which event influences which functionality, e.g.: When "The movement detector in sauna notifies any movement", then switch on "the sauna lights".

Features:

- Define the logical chain of events for home automation system
- Define the status (active/non-active)
- Activate/delete/save/execute any predefined event

System availability:


visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Surveillance Control

IP Cameras Axis/Mobotix



Description:

visiomatic® enables the visualization of your IP cameras from the brands of Axis or Mobotix. You can scroll through the cameras in a simple and comfortable way and take a look at each of the available video streams.

Features:

- Show the video streams
- Switch view between the available cameras


System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Pin code control



Description:

Protection of the private user data (applications or areas, such as E-mails, scenarios, MP3/DVD sources or rooms) from the foreign access.

Features:

- Add a new user and password
- Change and delete the password or the user
- Reset the password if lost with the help of the "Master Password"
- Hide the content of any specific site from foreign access

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Touch lock

(For example for cleansing)



Description:

visiomatic® offers a feature which makes the cleaning of the touch screen easier - the surface area can be switched to the “touch deactivated” mode. The deactivated touch surface can be reactivated with a double click on the touch screen interface.

Features:


- Touch on/off

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation⁽¹⁾
visiServer 19" 1 Unit⁽¹⁾

Available

In each visiomatic® System



Description:

Beside integrating an EIB/KNX bus system, visiomatic® also supports Lon, Lutron, OPC, X-10, DALI, PowerNet (via EIB/KNX), BACNet, DMX. The visualization and control takes place in the floor- and room overview and can be designed individually according to the customer's wishes.

Features:

- Connection to the following bus systems
 - EIB/KNX
 - LON
 - Lutron
 - OPC
 - X-10
 - DALI
 - PowerNet via EIB/KNX
 - BACNet
 - DMX
- Visualization and control of interior- and exterior lighting
- Shields control, such as blinds, awnings and shutters
- Visualization and control of heating and air conditioning
- Visualization and control of automated door- and gate opener
- Visualization and control of pool-, garden- and outdoor technique
- Visualization and control of wellness facilities such as sauna, turkish bath, swimming pool
- Visualization and control of sensors for temperature, humidity and smoke or rain- and wind sensors

System availability:


- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit





Available

In each visiomatic® System

Miele meets visiomatic

Connection of Miele-appliances
with the Miele @ home gateway



	Values	Actions
 Dishwasher Running	Program Intensive 65°C Phase Pre-Wash Remaining Time 2:16h	Stop
 Steam Cooker Running	Cooking Function Reheat Temperature 87 °C Phase Heating Remaining Time 0:03h	Stop
 Freezer Running	Freezer Target-Temperature -18 °C Freezer Current-Temperature -18 °C	Start Super Freezing
 Tumble Dryer Running	Drying Program Cottons Phase Drying Drying Step Normal+ Remaining Time 0:56h	Stop

Description:

visiomatic@ offers the connection of appliances and electronic equipment of the company Miele, which are equipped with the interface Miele@Home. The control of each individual appliance as well as the performance of the individual functions is a piece of cake and very lucid. All functions, which are possible with the appliance, appear automatically as soon as they are available on the appliance. It is possible for example to stop a running dishwasher or change the temperature of the wine storage facility.

Properties:

- Connection of Miele appliances with the Miele @ Home gateway
- Visualization and control of the most important functions of:
 - Refrigerator
 - Deep-freezer
 - Chest-freezer
 - Steam cooker
 - Oven
 - Microwave
 - Dishwasher
 - Washing machine
 - Dryer
 - Wine storage
 - ...

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit



Communication

All you can automate!

Alert Service

E-mail / SMS



Description:

At home or on the road, visiomatic® informs you about any alert in your integrated alarm system. You receive a message as an E-mail or, if required, as SMS, that the alarm was initiated.

Features:

Notification about any failure in alarm system in form of E-mail or SMS

System availability:


visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Video Intercom System

Connection



Description:

visiomatic® system enables the control, management and visualization of the video intercom connection. The video intercom system is visualized at the visiPad® Touch Screen Display. The simple and clear design of the user interface allows a quick and comfortable handling.

Features:

- Connection to the video intercom system for a single digital video signal:
 - Show the communication dialog, when the guest rings at the door bell
 - Pop-Up window incl. outer view of the entrance
 - Bidirectional communication with the visitor
 - Open the entrance door
 - Reject the call

General requirements:


- The ISDN telephone system with internal S0 bus must be available on the customer's side
- In case of integration with Siedle video intercom system, Siedle DCA module must be provided by the customer side

System availability:

- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

Internal Telephony

ISDN



Description:

Talk on the phone from one visiPad® display to another or to the outside with visiomatic®. With a few easy steps you can comfortably choose already selected numbers, enter a new number or answer received calls.

The customer can choose any number from the last dialed phone numbers. The visiomatic® Phone screen can be comfortably used as a digital telephone book.

Features:

- Show the internal/external phone numbers and names
- Call and speak via visiPad®
- Show last dialed phone numbers
- Phone forwarding function
- Integrated answering machine

General requirements:



- The ISDN telephone system with internal S0 bus must be provided by the customer
- visiPad®s must be equipped with ISDN module

System availability:

- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

E-mail System

POP3/IMAP



Description:

Graphical user interface allows the user to create, send, receive and store E-mail messages from the integrated E-mail accounts.

Therefore you are able to make mailing easier, quicker and clearer without requiring an additional computer.

Features:

- Creation of various E-mail accounts
- Inbox, outbox and delbox
- Read/Delete any E-mail
- Write/Send a new E-mail using the on-screen keypad

System availability:


visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Entertainment

All you can automate!

Multiroom Audio System

EIB/KNX Control



Description:

The Multiroom Audio System with EIB/KNX interface can be integrated into the visiomatic® system. The control commands are sent/received via EIB/KNX interface.

Features:

- Show / select the connected audio zones and sources
- Volume control for the selected areas

System availability:


visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Music

Player/Collection



Description:

In just a few steps you can create your own music collection including new play lists. Using the displayed menu bar you are able to add any song title or delete these from the play list.

To search for any MP3 quickly and comfortably just use the “search” button.

Features:

- Show an individual MP3 collection
- Illustrative presentation with artists, CD-cover and title list
- Alphabetically sort the list
- Free text search for any artist, CD or title
- Functions: play, pause, stop, play back of the next/previous song
- Play list control/management
- Play back modes: single play, repeat or random mode

System availability:



visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

First source available

Each additional source | Mod. 016.000

Digital Videos

Player/Collection



Description:

visiomatic® allows a simple, clear, fast and easy access to your own Digital Video (DV) archive.

The video files in MPEG-1, MPEG-2, MPEG-4, MFPEG DV, DivX, Xvid, VC-1, H.264, Windows Media Video etc. can be played back simply with the touch of a finger on the visiPad® panel. An external network data storage device is required to archive the videos.

Features:

- Search for the required DVD title
- Load/play back any DVD from the DVD list
- Full screen/preview mode
- Control bar incl. buttons: play/stop/pause/forward/back

System availability:



visiPad® CL8⁽²⁾
visiPad® RC10⁽²⁾
visiPad® TT15⁽²⁾
visiPad® TT19⁽²⁾
visiPad® TT Series⁽²⁾
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Picture Collection

Viewer/Slide Show



Description:

visiomatic® makes it possible for you to view your digital photo and picture collection as well as to start your own slide show, replacing a digital photo frame. You can also choose to add or delete any digital file via network.

Features:

- Show the alphabetic sorted picture collection list
- Add any digital picture/photo in the picture collection via network
- Delete any digital picture/photo from the picture collection
- Control/management of picture slide show
- Show any single picture, the entire picture folders or slide shows
- Picture-/photo- rotation
- Single run, rerun of some picture play list or play back in random mode

System availability:



visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

CD/DVD

External



Description:

visiomatic® system enables you to store any CD and DVD to the hard disk, add it to your personal digital video collection as well as play back your CDs or DVDs.

This module is ideal for consumers, who want a fast and easy way to control each multimedia area with a single technical device.

Features:

- Show the inserted CD/DVD in 4:3 or 16:9 format
- CD/DVD menu can be selected in the bottom bar
- Reject the inserted CD/DVD
- Functions: Play/stop/pause/forward/back control
- Store the inserted CD or DVD to the hard disk or any external data storage device

System availability:


- visiPad® CL8⁽¹⁾
- visiPad® RC10⁽¹⁾
- visiPad® TT15⁽¹⁾
- visiPad® TT19⁽¹⁾
- visiPad® TT Series⁽¹⁾
- visiomatic® MediaStation
- visiServer 19" 1 Unit

Available: visiomatic® MediaStation

License for customer's system | Mod. 017.000

Movie Library

Player/Collection



Description:

visiomatic® offers you an easy, prompt and clear solution for your own DVD archive management. The DVDs are alphabetically compiled in a list with the corresponding DVD cover and DVD title and can be loaded with a simple touch. In addition, visiomatic® delivers a search function by means of the on-screen keyboard and DVD breakdown by: Seen, genre, title, text, FSK, ranking, to make handling and selection even easier.

Features:

- Show any DVD from the existing DVD collection
- Search for the favored DVD title
- Load/play back any DVD from the DVD list
- Full screen/preview mode
- Control bar incl. buttons: play/stop/pause/forward/back

Prerequisite: The existing, compatible archive created with e.g. visiomatic® MediaStation.

System availability:


visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Digital TV

DVB S2/C/T



Description:

Experience High Definition TV on your visiomatic® system without any TV device. The visiomatic® TV solution offers its customers the play back of the selected TV channel, a bouquet list incl. digital TV program preview (EPG), which is constantly updated. The favorite program list can be created individually by the customer.

Features:


- Show/play back of TV/radio channels
- Forward/backward buttons in the bottom bar
- Information to the selected channels
- Wide screen / preview mode

System availability:

visiPad® CL8⁽³⁾
visiPad® RC10⁽³⁾
visiPad® TT15⁽³⁾
visiPad® TT19⁽³⁾
visiPad® TT Series⁽³⁾
visiomatic® MediaStation
visiServer 19" 1 Unit

TV Program

Listing



Description:

TV program overview for TV channels in Germany and Europe for up to 30 days in advance. The visiomatic® TV program screen keeps you up to date.

You are able to create your individual list of channels for any state. Choose from a variety of states, such as e.g. Austria, Belgium, Germany, France, France digital, Italy, the Netherlands, Portugal, Switzerland, Spain or U.K.

Features:


- Shows the actual TV program information, sorted by:
 - Date
 - Favorites
 - Days of the week
 - Timing
 - Channel
 - Genre
- Search for the favorite program or channel
- Record any TV show

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Web Radio

Broadcasting



Description:

The visiomatic® Web Radio solution is software which enables streaming of audio content over the Internet in form of web casting. This module enables the worldwide Web Radio broadcasting via visiPad® in a real-time mode. It shows the actual favorites list, the play state, the URL of the actual radio source, bit rate as well as the channel and song title.

You are able to manage your channel list any time you like and create a list of your favorite radio stations. You simply select any web radio station from the broadcasting list and touch the entry "add" on the right side of the screen.

The visiomatic® screen offers you a search function to look for any special web radio station. To fill in the title of any radio station use the visiomatic® on-screen keyboard. Just touch the "Search" button and your search process will be started.

The user can comfortably scroll through the music genre, the sub genre and the radio stations of the respective sub genre of the web radio station. The visiomatic® Web Radio Server can be used as an input source for the Multi room audio system.

Features:


- Show web radio channels
- Search for special web radio channels
- Favorites list
- Control buttons for play/stop
- Show web radio channels sorted by genre

System availability:

- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

Multiroom Audio System

External



Description:

The external Multiroom Audio Systems can be integrated /connected to visiomatic® via RS232 or TCP/IP.

visiomatic® offers a simple and clear configured graphical user interface in form of audio matrix to control and manage your Multiroom Audio System. You can easily define which sound source should be played in which zone by activating the corresponding circular field on your control devices such as visiPad® displays, remote controls or iPhone. All the features can be used from a single screen.

Features:

- 4x4 up to 32x32 zones and sources
- Supports:
 - Revox via RS232 oder TCP/IP
 - Trivum via TCP/IP
 - BOSE Lifestyle via RS232
 - Leaf via RS232
 - Linn via RS232
 - Sonus via RS232
 - WHD via KNX
 - Xantech via RS232
 - Extron via RS232

System availability:

- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

4x4 zones and sources incl. amplifier | Mod. 021.000
other Systems available on demand

Infotainment

All you can automate!


Weather Forecast

Worldwide

The screenshot shows a mobile application interface for weather forecasts. At the top, there's a status bar with the time 15:06:13 and battery level 08:00. Below that, a navigation bar includes 'Person', 'Room', 'House', 'Camera', and 'World'. The main content area is divided into sections: 'Favorites' (China), 'Africa' (Democratic People's Republ...), 'Asia' (Hong Kong, China), 'Europe' (India), 'N. & Central Am...' (Iran, Islamic Republic of), 'S. America' (Iraq), and 'S.W. Pacific' (Japan). A section titled 'Hong Kong - Weather Forecast, Issued at 15:39 (Local time) 25 Sep 2009' contains a table with the following data:

Date	Temperature	Weather	Pictures	4/11	Map
26 Sep (Sat)	27 °C / 33 °C	Fine and very hot.			
27 Sep (Sun)	28 °C / 33 °C	Mainly fine and very hot.			
28 Sep (Mon)	26 °C / 30 °C	Cloudy with rain, heavy at times later.			
29 Sep (Tue)	26 °C / 29 °C	Cloudy with rain, heavy at times.			

To the right of the table is a 'View a Hubour at night' link and a small image of the Hong Kong skyline at night.



Description:

visiomatic® offers the user the actual weather forecast for every city in the world for 4 days in advance. You are able to define your favorite town and take a look at the actual weather with a simple touch. The graphical illustration is a permanent feature of each weather forecast.

Features:


- Show the continent/country/city list
- Show the temperature for the following four days for each selected city worldwide
- Graphical illustration to each weather forecast

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System



Description:

Inform yourself about the actual news in the whole world. visiomatic® shows you the latest worldwide news in a single user interface. It is an integrated information filter which contains the news articles of different countries e.g. UAE, Argentina, Canada, Italy, France, Germany, Japan, Latin America, Russia, Spain, Taiwan, UK and USA in its corresponding local language.

Features:

- Show the country list
- Classification in news - topics
- Short form of the actual news
- Detailed form of the actual news incl. illustrations

System availability:



visiPad® CL8
 visiPad® RC10
 visiPad® TT15
 visiPad® TT19
 visiPad® TT Series
 visiomatic® MediaStation
 visiServer 19" 1 Unit

Available

In each visiomatic® System

Stock market

Worldwide



Description:

visiomatic® provides an overview on the actual indices and currencies on the stock market at home and abroad. Therefore you are able to view and manage your stocks in detail. An accurate picture of the stock market can be obtained by using the individual favorites list.

The stock information can be shown for the following periods: daily, weekly, monthly or yearly. The diagram in the bottom bar of the screen shows the market development of the selected stock.

Features:

- Show the indices list
- Show the favorites list
- Create an individual favorites list
- Search function for stocks and currencies
- Stocks diagram

System availability:



visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Internet Browser

Flash enabled



Description:

The visiomatic® internet screen provides an integrated internet browser as well as a search engine function.

You are able to scroll between “Favorites”, “Search” and “Address” functions and use your on-screen keyboard on your touch panel to surf on the Internet. It can be switched to any local language e.g. German, Russian, Belgian, Spain etc. or back to English with a simple touch.

Features:

- Create an individual list of favorites
- Search for any keyword/term
- Search for any URL
- Add/change/remove the web site to/from the Favorites list

System availability:



- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

Available

In each visiomatic® System

Clock

Timer/Alarm



Description:

Just one touch on the menu item and you can see the current time/date/day of the week on the digital clock in full screen size. The user can decide what date and time format should be shown on the screen and switch between 12 AM / PM and 24 h format.

The alarm mode can be set to any time of the day, so at this specific time the alarm sound will be played. This is a very simply procedure. MP3 songs or other audio files can also be specified as a ring sound in a few easy steps.

Features:

- Show the actual time and date
- Switch to 12 h or 24 h mode
- Alarm mode (daily repeating)
- Individual alarm sound (e.g. MP3)

System availability:


visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Available

In each visiomatic® System

Traffic News

Germany
Austria



Description:

The visiomatic® traffic screen informs you about the actual traffic news, such as traffic jam, risk of traffic accidents or location of the construction zones.

You can switch between the German / Austrian regions or freeways according to your wish.

Features:



- Shows the traffic jams, risk of traffic accidents or location of the construction zones
- Search for regions and freeways

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Cinema program

Listing



Description:

The Cinema screen provides the user with the comprehensive overview on the actual films, times and dates as well as the content of any film.

You create your own cinema city list and get the information on the cinema program on specific days of the week including the information on the actors and corresponding pictures.

Features:



- Show city list / available cinemas/movies
- Short description of the selected film

System availability:

visiPad® CL8⁽¹⁾
visiPad® RC10⁽¹⁾
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Kitchen recipes

Listing



Description:

The visiomatic® recipes screen makes it possible to create your favorite dishes, these being simple or glamorous meals. Immerse yourself in a world of domestic and foreign delicacies. visiomatic® offers a selection of thousands of dishes listed simply and clearly. You don't need to emerge your self into a cookbook – the visiomatic® screen gives you all the information necessary for the success of your dishes quickly and clearly.

Features:


- Search: By keyword or in any existing category
- Favorites
- Ingredient list to any selected dish
- Detailed description of the preparation of food incl. related picture

System availability:

visiPad® CL8
visiPad® RC10
visiPad® TT15
visiPad® TT19
visiPad® TT Series
visiomatic® MediaStation
visiServer 19" 1 Unit

Wine and wine storage

Listing



Description:

This function allows you to set and monitor your wine or cigar collection. All your wines are alphabetically sorted and represented in your wine screen with additional information on each product.

Just a quick look at this single screen and you receive an overview of your cellar stock collection, control the storage of the wine/cigars and you can plan your future purchases according to the information visible on the screen, or just present your extensive range of delicious fine wines, spirits, champagnes or cigars to your guests.

Features:

- Show stock information sorted by:
 - Type
 - Country
 - Year of production
 - Name
- Show the actual amount of the wine bottles of each wine or cigars
- Change the amount of wines/cigars
- Add new wine/spirits/champagnes/cigars
- Picture and additional description to any selected product e.g. wine/spirits/champagnes/cigars

System availability:

- visiPad® CL8
- visiPad® RC10
- visiPad® TT15
- visiPad® TT19
- visiPad® TT Series
- visiomatic® MediaStation
- visiServer 19" 1 Unit

- (1) This feature is not available for this product
- (2) By Full HD videos can possibly cause the limited play back
- (3) No HD TV possible

The mentioned prices are, unless otherwise agreed, in EUR per piece / set. All prices are EX. VAT. Transport costs will be calculated separately.

Please ask us about our delivery and selling agreements.

visiomatic® produces highly complex technical products. Information within this product catalog is solely for the purpose of providing an initial description of the visiomatic® products. These product details back out of the contractual agreements as well as the terms and conditions of visiomatic® are legally of higher value than these product details. All information regarding the products, dimensions, weight and performance figures are approximate and don't represent the quality or durability guarantee.

visiomatic® is not responsible for the actuality, correctness, completeness or quality of information provided in this catalogue. The liability of visiomatic® for damages of any kind resulting from the use or non-use of the information or the use of incorrect or incomplete information is strictly excluded.

Reproductions and photo reproductions of all visiomatic materials are possible only with our expressed permission.

All you can automate!

visiomatic® GmbH

Oberer Kirchhaldenweg 135 | 70195 Stuttgart | Germany

Tel.: +49 711 83948 830 | Fax: +49 711 83948 8399 | www.visiomatic.com | info@visiomatic.com

CEO: Lucius Banck | Commercial Register Stuttgart HRB 20366 | Tax Number: 99058/15249 VAT ID: DE200840755

visiomatic 